

Genesis 5 / 8



PARTS MANUAL




Version: PM122.153.001EN-2517


Applies to:

A122.153.001 Genesis 5


A122.248.001 Genesis 8




<u>Option</u>	<u>Page</u>
Coulter knife kit	12
Wheel kit	13 - 16
Seed cover plate	17
Shallow seed kit	18
Small seed box	SSB 1 - 3




ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	468.022.604	Cover plate		1	1
2	456.068.010	Cover genesis		1	1
3	468.021.906	Cover plate		1	1
4	864.100.030	Washer M10 - DIN 125A		12	12
5	830.100.100	SL nut M10 - DIN 985 - Grade 10		12	12
6	802.100.550	Hex bolt M10 x 55 - ISO 4014 - Grade 8.8		8	8
7	866.100.020	Spring washer M10 - DIN 127		4	4
8	804.100.250	Hex bolt M10 x 25 - ISO 4017 - Grade 8.8		4	4
9	864.080.030	Washer M8 - DIN 125A		2	2
10	804.080.160	Hex bolt M8 x 16 - ISO 4017 - Grade 8.8		2	2
11	924.280.000	Decal seed hopper		1	
12	402.100.182	Distance Bush		8	8
13	478.080.915	Calibration tray		1	0
	478.080.923	Calibration tray		0	1
14	444.650.560	Funnel		8	13
15	444.151.250	Handle		2	2
16	864.060.030	Washer M6 - DIN 125A		4	4
17	830.060.060	SL nut M6 - DIN 985 - Grade 8		4	4
18	814.060.200	Hex HC screw M6 x 20 - DIN 912 - Grade 8.8		4	4
19	922.280.000	Decall funnel		1	1
20	836.100.260	Hand knob M10 through - DIN 6335		2	2
21	464.040.430	Bracket		2	2
22	804.080.300	Hex bolt M8 x 30 - ISO 4017 - Grade 8.8		2	2




ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	456.163.052	Top cover		1	0
	456.238.052	Top cover		0	1
2	444.151.250	Handle		1	1
3	469.029.160	Cover plate		1	0
	468.029.240	Cover plate		0	1
4	590.650.000	Rubber lock assy		2	2
5	446.109.400	Rubber U-seal 1-4mm L=4030		1	0
	446.109.550	Rubber U-seal 1-4mm L=5560		0	1
6	899.100.634	Hinge		2	3
7	571.224.852	Gas strut L=485/stroke=200 F=500		2	2
8	468.040.654	Support L=65mm		2	2
9	468.040.302	Support		2	2
10	804.060.160	Hex bolt M6 x 16 - ISO 4017 - Grade 8.8		16	20
11	830.060.060	SL nut M6 - DIN 985 - Grade 8		18	22
12	864.060.030	Washer M6 - DIN 125A		4	6
13	830.080.080	SL nut M8 - DIN 985 - Grade 8		4	4
14	830.100.100	SL nut M10 - DIN 985 - Grade 10		4	4
15	804.100.200	Hex bolt M10 x 20 - ISO 4017 - Grade 8.8		4	4
16	804.050.120	Hex bolt M5 x 12 - ISO 4017 - Grade 8.8		8	8
17	830.050.050	SL nut M5 - DIN 985 - Grade 8		8	8
18	814.060.160	Hex BH screw M6 x 16 - ISO 7380 - Grade 8.8		2	2
19	804.080.200	Hex bolt M8 x 20 - ISO 4017 - Grade 8.8		4	4
20	922.260.505	Label Genesis 5		3	0
	922.260.418	Label Genesis 8		0	3
21	922.260.414	Label RTP Outdoors		2	2
22	444.803.100	Toolbox		1	1
23	900.280.402	Safety decal toolbox		1	1
24	468.030.530	Toolbox contraplate		2	2
25	804.080.350	Hex bolt M8 x 35 - ISO 4017 - Grade 8.8		2	2
26	864.080.024	Washer M8 large - DIN 9021		2	2
27	830.080.080	SL nut M8 - DIN 985 - Grade 8		2	2
28	924.280.000	Decal seed hopper		1	1




ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	444.051.802	Window		4	4
2	468.024.950	Center plate		1	1
3	406.110.600	Distance Bush		2	2
4	836.080.260	Hand knob M8 through - DIN 6335		1	1
5	804.060.160	Hex bolt M6 x 16 - ISO 4017 - Grade 8.8		2	2
6	830.060.060	SL nut M6 - DIN 985 - Grade 8		5	5
7	864.060.030	Washer M6 - DIN 125A		5	5
8	830.080.080	SL nut M8 - DIN 985 - Grade 8		1	1
9	830.100.100	SL nut M10 - DIN 985 - Grade 10		6	6
10	864.080.030	Washer M8 - DIN 125A		1	1
11	802.080.700	Hex bolt M8 x 70 - ISO 4014 - Grade 8.8		1	1
12	802.100.750	Hex bolt M10 x 75 - ISO 4014 - Grade 8.8		4	4
13	878.050.320	Roll pin 5 x 32 - ISO 8752		2	2
14	804.100.800	Hex bolt M10 x 80 - ISO 4017 - Grade 8.8		2	2
15	864.100.031	Washer M10 large - DIN 9021		1	1
16	820.080.350	MH bolt M8 x 35 - ISO 8677 - Grade 8.8		1	1
17	732.400.070	Bearing bush		1	1
18	870.040.180	Circlip d=40 - DIN 471		1	1
19	470.121.500	Gear base		1	1
20	635.000.774	Sprocket 3/8" (06B) simplex 24Z flat		1	1
21	814.060.150	Hex HC screw M6 x 16 - DIN 912 - Grade 8.8		2	2
22	635.000.602	Sprocket 3/8"(06B) simplex 18Z special		1	1
23	631.000.554	Chain 3/8" 06B L=557		1	1
24	638.090.090	Chain connector 3/8"-6B1-DIN 8187-Simplex		1	1
25	444.500.600	Chain Tensioner		1	1
26	406.110.500	Distance bush Ø20/Ø10.5 L=50		4	4
27	464.041.752	Guide strip		1	1
28	464.063.134	Valve adjustment		1	1




ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	468.049.163	Plate	Genesis 5	1	0
	468.049.235	Plate	Genesis 8	0	1
2	444.050.133	Seed element casing	Qua per element	1	1
3	444.058.510	Seed element rotor	Qua per element	1	1
4	444.034.760	Seed element valve	Qua per element	1	1
5	870.032.160	Circlip d=32 - DIN 471	Qua per element	1	1
6	412.020.450	Washer	Qua per element	1	1
7	830.060.060	Self Lock Nut M6 - ISO 10511		16	26
8	804.060.250	Bolt M6 x 25 - ISO 4017		16	26
9	406.210.180	Distance bush D30/D21 L=17.5		1	1
10	410.160.180	Bush		2	2
11	422.169.164	Valveshaft L=1641	Genesis 5	1	0
	422.169.240	Shaft	Genesis 8	0	1
12	422.169.170	Hexagon Shaft	Genesis 5	1	0
	422.169.246	Haxagon Shaft	Genesis 8	0	1
13	444.201.170	Guide Block		1	1
14	444.600.870	Divider side		2	2
15	444.601.100	Divider block		7	12
16	474.809.168	Agitator shaft	Genesis 5	1	0
	474.809.240	Agitator shaft	Genesis 8	0	1
17	494.161.050	Seed hopper	Genesis 5	1	0
	494.237.050	Seed hopper	Genesis 8	0	1
18	635.000.900	Sprocket 3/8" (06B) simplex 28Z Ø15		1	1
19	802.081.600	Bolt M8 x 160 - ISO 4014		9	14
20	804.060.160	Bolt M6 x 16 - ISO 4017		3	3
21	804.080.160	Bolt M8 x 16 - ISO 4017		18	28
22	804.100.400	Bolt M10 x 40 - ISO 4017		8	8
23	830.080.080	Self Lock Nut M8 - ISO 10511		27	42
24	830.100.100	Self Lock Nut M10 - ISO 10511		8	8
25	864.200.030	Washer M20 - ISO 7089		3	3
26	870.020.120	Circlip d=20 - DIN 471		1	1
27	878.050.320	Roll pin Ø5x32		3	3
28	884.060.250	Key 6x6x25 - DIN 6885		1	1
29	818.060.160	Set screw M6 x 16 Din 913Spring		1	1
30	866.080.020	Washer M8 - DIN 127 Large washer		4	4
31	864.100.031	M10 - DIN 9021W		8	8
32	864.080.043	Washer M8 - DIN 7349		4	4
33	804.080.250	Bolt M8 x 25 - ISO 4017		4	4
34	468.150.702	Bearing block		1	1
35	713.300.130	Bearing 6006 LLU		1	1
36	468.020.708	Cover plate large hole		1	1
37	468.180.700	Bearing block		2	2
38	468.020.704	Cover plate		2	2
39	713.200.140	Bearing 6204-C-2HRS		2	2
40	468.011.004	Cover plate		2	2




RTP		Genesis 5 - 8		Pag 06	Code 2519	
ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8	
1	523.051.000	R-clip Double 5mm, DIN 11024		3	3	
2	462.050.655	Support leg		4	4	
3	830.060.060	SL nut M6 - DIN 985 - Grade 8		4	4	
4	802.060.600	Hex bolt M6 x 60 - ISO 4014 - Grade 8.8		4	4	
5	474.201.320	Lock pin		4	4	
6	521.221.600	3-point pin		2	2	
7	521.191.600	Top link pin OS		1	1	
8	446.039.162	Rubber grip plate		1	0	
	446.039.230	Rubber grip plate		0	1	




ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	416.151.350	Stud		4	4
2	478.241.741	Gearbox protection		1	1
3	921.280.402	Safety decall VS		2	2
4	922.340.008	Decall fixation point		3	3
5	575.302.250	Spring wheelaxle		1	1
6	444.053.802	Guide bar sideplate		1	1
7	466.083.952	Guide swingarm		1	1
8	442.200.150	Bearing bush		2	2
9	406.110.840	Spacer		3	3
10	444.500.750	Spanner		1	1
11	830.120.120	SL nut M12 - DIN 985 - Grade 10		7	7
12	802.120.500	Hex bolt M12 x 50 - ISO 4014 - Grade 10.9		2	2
13	830.100.100	SL nut M10 - DIN 985 - Grade 10		6	6
14	804.120.400	Hex bolt M12 x 40 - ISO 4017 - Grade 8.8		4	4
15	830.080.080	SL nut M8 - DIN 985 - Grade 8		1	1
16	864.080.030	Washer M8 - DIN 125A		1	1
17	866.080.020	Spring washer M8 - DIN 127		1	1
18	802.081.100	Hex bolt M8 x 110 - ISO 4014 - Grade 8.8		1	1
19	802.101.100	Hex bolt M10 x 110 - ISO 4014 - Grade 8.8		3	3
20	826.120.120	Nut M12 - DIN 934 - Grade 8		3	3
21	822.120.800	Eye bolt M12 x 80 - DIN 444 LB		2	2
22	631.011.257	Chain		1	1
23	638.090.090	Chain connector 3/8"-6B1-DIN 8187-Simplex		1	1



RTP		Genesis 5 - 8	Pag 08	Code 2519	
ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	438.503.960	Compresion spring disc assembly		8	13
2	523.051.000	R-clip Double 5mm, DIN 11024		1	1
3	474.169.170	Seeding element shaft		1	1
	474.169.240	Seeding element shaft		0	1
4	846.080.250	D-Shackle 8 mm with bolt		16	26
5	899.081.520	Chain		8	13
6	444.631.800	Seed guide		8	13
7	494.107.170	Frame Genesis 5		1	0
	494.107.240	Frame Genesis 8		0	1



ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	468.204.202	Drive wheel		1	1
2	864.240.044	Washer M24 - DIN 125A		2	2
3	870.025.120	Circlip d=25 - DIN 471		2	2
4	802.080.400	Hex bolt M8 x 40 - ISO 4014 - Grade 8.8		1	1
5	816.060.200	CSK screw M6 x 20 - DIN 7991 - Grade 8.8		4	4
6	878.060.350	Roll pin 6 x 35 - ISO 8752		1	1
7	826.120.120	Nut M12 - DIN 934 - Grade 8		1	1
8	802.120.450	Hex bolt M12 x 45 ISO 4014 - Grade 10.9		1	1
9	830.120.120	SL nut M12 - DIN 985 - Grade 10		1	1
10	826.060.060	Nut M6 - DIN 934 - Grade 8		1	1
11	804.060.300	Hex bolt M6 x 30 - ISO 4017 - Grade 8.8		1	1
12	830.100.100	SL nut M10 - DIN 985 - Grade 10		4	4
13	635.000.572	Sprocket		1	1
14	878.060.450	Roll pin 6 x 45 - ISO 8752		1	1
15	635.000.540	Sprocket		1	1
16	631.000.978	Chain		1	1
17	474.251.400	Wheel hub		1	1
18	442.200.152	Bearing bush		2	2
19	444.250.600	Chain tensioner		1	1
20	713.250.150	Bearing 6205-2RSR		2	2
21	638.090.090	Chain connector 3/8"-6B1-DIN 8187-Simplex		1	1
22	468.155.140	Swingarm plate		1	1
23	444.051.000	Guide plate swingarm		1	1
24	599.121.122	Handle		1	1
25	523.020.570	R-Clip D=2		1	1




Elements

Genesis 5 : 8 pieces


Genesis 8 : 13 pieces

ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	523.051.000	R-clip Double 5mm, DIN 11024		1
2	521.221.120	Pin for 3-point		2
3	414.251.470	Shaft		1
4	406.250.202	Distance Bush		2
5	424.060.480	Lock pin		1
6	442.160.150	Bearing bush		2
7	442.160.170	Bearing bush		2
8	864.270.040	Washer M27 - DIN 125A		1
9	830.160.160	SL nut M16 - DIN 985 - Grade 10		3
10	406.170.202	Bush		6
11	870.025.120	Circlip d=25 - DIN 471		1
12	802.161.500	Hex bolt M16 x 150 - ISO 4014 - Grade 8.8		3
13	922.340.010	Depth decall left		1
14	922.340.012	Depth decall right		1
15	406.170.520	Distance bush		3
16	468.102.102	Height plate		2
17	470.108.950	Weldment seed element left		1
18	470.108.952	Weldment seed element right		1
19	511.280.072	Wheel complete 280L/25	Complete wheel including bearings	1
	713.250.090	Bearing 61905-2RSR	Bearings for wheel 511.280.072	2
20	826.200.100	Low nut M20 - DIN 439 - Grade 04		1
21	816.100.252	CSK screw M10 x 25 - DIN 7991 - Grade 10.9		6
22	830.100.100	SL nut M10 - DIN 985 - Grade 10		6
23	864.080.024	Washer M8 large - DIN 9021		2
24	820.080.300	MH bolt M8 x 30 - ISO 8677 - Grade 8.8		2
25	830.080.080	SL nut M8 - DIN 985 - Grade 8		2
26	826.200.102	Low nut M20 Left - DIN 439 - Grade 04		1
27	713.200.150	Bearing 6304-2RSR		2
28	468.024.060	Cutting disk Ø406		2
29	468.031.102	Center plate		4
30	464.030.962	Disc Scraper Large		1
31	464.030.960	Disc Scraper Small		1
32	492.806.602	Element		1
33	442.160.150	Bearing bush		2
34	882.080.500	Cotter pin 8 x 50 - DIN 94		1


Quantity per element



ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	468.030.980	Sensor bracket		1
2	406.200.204	Magnet bush		1
3	569.200.100	Magnet	Also included in 569.100.430	1
4	406.210.192	Bush		1
5	830.100.100	SL nut M10 - DIN 985 - Grade 10		1
6	635.000.258	Sprocket 3/8" (06B) simplex 24Z Ø30		1
7	878.060.500	Roll pin 6 x 50 - ISO 8752		1
8	878.060.450	Roll pin 6 x 45 - ISO 8752		1
9	816.040.160	CSK screw M4 x 16 - DIN 7991 - Grade 8.8		1
10	804.100.200	Hex bolt M10 x 20 - ISO 4017 - Grade 8.8		1
11	569.390.780	Area counter		1
12	593.052.000	Cable-tie 4.8x200		3
13	866.050.020	Spring washer M5 - DIN 127		2
14	804.050.120	Hex bolt M5 x 12 - ISO 4017 - Grade 8.8		2
15	864.050.030	Washer M5 - DIN 125A		2
16	468.021.160	Bracket counter		1
17	402.210.020	Spacer Ø30/Ø21 L=2		1




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	468.064.060	Lid plate		1
2	434.210.850	Bearing hub Ø42		1
3	434.230.850	Bearing hub Ø55		1
4	874.060.020	Bonded seal ring M6		6
5	804.060.160	Bolt M6 x 16 - ISO 4017		6
6	448.380.800	Casted gearbox housing		1
7	444.021.380	Window		1
8	934.140.510	Gauge decall		1
9	711.200.120	Bearing 6004		2
10	711.300.132	Bearing 6006		2
11	762.300.080	Oil seal 30-45-8		1
12	762.200.070	Oil seal 20-32-7		1
13	874.210.020	Copper washer 1_2		2
14	549.210.200	Blind plug G1/2		2
15	864.080.024	Large washer M8 - DIN 9021		9
16	866.080.020	Spring Washer M8 - DIN 127		7
17	804.080.350	Bolt M8 x 35 - ISO 4017		7
18	836.080.402	Closed Knob M8 - Din 6335		2
19	876.060.260	Parallel pin ISO 8734 - 6 x 26		2
	623.200.400	Gearbox complete		




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	422.351.382	Shaft		1
2	444.020.500	Washer		1
3	422.242.020	Shaft		1
4	444.200.730	Excenter		2
5	868.032.100	Shim Ø20xØ32x1.0 DIN988	Quantity depending on clearance	
6	406.280.030	Spacer		1
7	575.010.800	Spring		2
8	868.042.100	Shim Ø30xØ42x1.0 DIN988	Quantity depending on clearance	
9	870.008.080	Circlip d=8 - DIN 471		2
10	464.152.702	Rocker strip		2
11	721.080.080	Bearing HK0808		2
12	442.200.980	Rocker arm assembly		2
13	418.080.200	Pin		2
14	711.200.120	Bearing 6004		1
15	711.300.132	Bearing 6006		1
16	470.120.550	Guide		1
17	852.102.100	Threaded rod M10x210		1
18	826.100.100	Nut M10 - DIN 934		2
19	721.060.120	Roller bearing		2
20	878.060.500	Roll Pin 6 x 50 - ISO 8752		1
21	468.040.530	Lock plate		1
22	816.060.122	Bolt M6 x 12 - DIN 7991		4
23	468.020.490	Indicator		1
24	468.061.620	Slider bracket		1
25	814.050.100	DIN 912 M5 x 10 --- 10C		2
26	836.100.630	Knob M10 with set screw		1
27	864.100.030	Washer M10 - ISO 7089		1
28	816.080.100	Bolt M8 x 10 - DIN 7991		2

Timing, Spindle adjustment and Oil level





Axial clearance



Sealing plan

1. Put sealing paste (Loctite 5970) on the gearbox housing according to the closed line as shown on the pictures below.
2. Make sure to put sealing paste around the threaded holes.
3. Make sure to clean the edges from excess sealant.






Coulter knife element



Genesis 3 : 5 pieces
Genesis 5 : 8 pieces
Genesis 8 : 13 pieces
Genesis 10 : 16 pieces

ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	830.140.140	Self Lock Nut M14 10.9 - ISO 10511		4
2	802.140.900	Bolt M14 x 90 - ISO 4014		3
3	830.120.120	Self Lock Nut M12 - ISO 10511		4
4	802.121.700	Bolt M12 x 170 - ISO 4014		4
5	830.060.060	Self Lock Nut M6 - ISO 10511		3
6	804.060.200	Bolt M6 x 20 - ISO 4017		3
7	713.200.150	Bearing 6304-LLU		2
8	802.140.650	Bolt M14 x 65 - ISO 4014 - 10.9		1
9	468.102.600	Arm		2
10	468.032.202	Disc Ø220/ 3mm		1
11	402.140.500	Distance bush Ø20/Ø14.2 L=50		3
12	410.520.190	Bearing block		2
13	406.210.045	Distance bush		2
14	406.210.090	Distance bush Ø30/Ø20.5 L=9		1
15	575.041.270	Spring		1
16	402.140.290	Distance bush Ø20/Ø14.2 L=29		1
17	470.083.300	Support bracket		1
18	468.121.700	Lock plate		1
19	864.120.030	Washer M12 - ISO 7089		2
20	468.010.120	Dust cover		2
	222.153.016	Fixed coulter kit	Amount for 1 piece	


Quantity per coulter knife element






ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	534.253.000	Hydraulic cilinder		2	2
2	830.160.160	Self Lock Nut M16 - ISO 10511		6	6
3	840.190.230	SL Nut 3/4"-16 UNF		4	4
4	808.191.000	Hex Bolt 3/4-16 L=4 UNF	Genesis 8	0	2
	808.190.830	Hex Bolt 3/4-16 3.25"	Genesis 5	2	0
5	478.257.970	Toplink		1	1
6	521.191.120	Top Link Pin		1	1
7	523.051.000	R-clip Round 5, DIN 11024		1	1
8	864.120.031	Large washer M12 - DIN 9021		2	2
9	866.120.020	Spring Washer M12 - DIN 127		2	2
10	804.120.350	Bolt M12 x 35 - ISO 4017		2	2
11	404.250.700	Distance Bush Wheel		8	8
12	2499188	Wheel shaft		2	2
13	511.542.236	Wheel Complete		4	4
14	424.060.480	Lock Pin		2	2
15	494.177.060	Bogy frame	Genesis 5	1	0
	494.263.060	Bogy frame	Genesis 8	0	1
16	406.250.502	Distance bush Ø32/Ø25 L=50	Genesis 5	2	0
	406.250.320	Distance bush Ø32/Ø25,2 L=32	Genesis 8	0	2
17	404.240.320	Collar bush Ø50/Ø24 L=32		2	2
18	880.060.100	Grease nipple M6 DIN 71412A		2	2
19	802.160.552	Bolt M16 x 55 class 10.9		6	6
20	412.210.250	Distance bush		2	2
21	808.191.140	HFBOLT 0.75-16x4.5x1.75-C		2	2
22	864.240.044	Washer M24 - ISO 7089		2	2
23	830.240.240	Self Lock Nut M24 - ISO 10511		2	2
24	802.240.800	Bolt M24 x 80 - ISO 4014 class 10.9		2	2
25	470.203.352	Strip		2	2
26	494.063.072	Drawbar Bogy	Genesis 5	1	0
	462.217.950	Drawbar Bogy	Genesis 8	0	1
	222.153.002	Bogy kit Genesis 5	Complete		
	222.248.000	Bogy kit Genesis 8	Complete		



ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	874.170.020	Copper washer 3_8		4	4
2	544.130.402	Nipple BSP 1_2" x pipe 12 (M18)		2	2
3	874.210.020	Copper washer 1_2		2	2
4	544.124.125	T-Connector 12x12x12		2	2
5	544.170.120	Nipple BSP 3_8" x pipe 12 (M18)		4	4
6	541.171.800	Hose NSK10-3/8" L=1800 2xPGLO1018		2	2
7	545.210.800	Quick connector male 1/2"		2	2
8	541.172.350	Hose NSK10-3/8" TL=2450 1x PGLO1018 + 1xPGLO101890	Genesis 8	0	1
	541.171.950	Hose NSK10-3/8" TL=1950 1x PGLO1018 + 1xPGLO101890	Genesis 5	1	0
9	541.172.350	Hose NSK10-3/8" TL=2450 1x PGLO1018 + 1xPGLO101890	Genesis 8	0	1
	541.171.950	Hose NSK10-3/8" TL=1950 1x PGLO1018 + 1xPGLO101890	Genesis 5	1	0
10	541.172.770	Hose NSK10-3/8" TL=2770 1x PGLO1018 + 1xPGLO101890	Genesis 8	0	1
	541.172.350	Hose NSK10-3/8" TL=2450 1x PGLO1018 + 1xPGLO101890	Genesis 5	1	0
11	541.172.770	Hose NSK10-3/8" TL=2770 1x PGLO1018 + 1xPGLO101890	Genesis 8	0	1
	541.172.350	Hose NSK10-3/8" TL=2450 1x PGLO1018 + 1xPGLO101890	Genesis 5	1	0
12	830.080.080	Self Lock Nut M8 - ISO 10511		8	8
13	547.150.150	Hose clamp double 15mm		16	16
14	547.300.510	Cover plate hose clamp 2x15 - 2x18		8	8
15	802.080.500	Bolt M8 x 50 - ISO 4014		8	8









Quantity depending on how many seeding elements need to be closed.


ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	468.049.136	Seed cover plate		1



Quantity per machine:


Genesis 5: 8 x 222.153.020
Genesis 8: 13 x 222.153.020

ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	222.153.020	Shallow seed kit	Contains item 2 + 3	1
2	406.290.450	Bush large		1
3	406.230.450	Bush small		1




General remark:
All part ammounts on this page are for both Genesis 5 and 8

ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	864.100.030	Washer M10 - ISO 7089		4
2	830.100.100	Self Lock Nut M10 - ISO 10511		5
3	468.080.900	Tensioner plate		1
4	444.300.600	Chain Tensioner		1
5	402.090.200	distance bush Ø20-Ø8,5 L=20		1
6	802.080.650	Bolt M8 x 65 - ISO 4014		1
7	468.102.150	Mount plate		1
8	732.250.120	Bearing Ø25 h=11.5		2
9	468.081.550	Bearing Plate		1
10	402.090.640	distance bush Ø20-Ø8,5 L=64		2
11	818.080.201	Set screw M8 x 20 - DIN 916		1
12	635.000.903	Sprocket 3/8" (06B) simplex 28Z Ø25		1
13	870.025.120	Circlip d=25 - DIN 471		2
14	884.080.320	Key 8x7x32 - DIN 6885		1
15	802.080.100	Bolt M8 x 100 - ISO 4014		2
16	456.840.410	Cover genesis with small seed box		1
17	922.260.414	Label RTP Outdoors white		1
18	402.090.522	distance bush Ø20-Ø8,5 L=52		2
19	635.000.905	Sprocket 3/8" (06B) simplex 28Z Ø20 double chain		1
20	804.080.160	Bolt M8 x 16 - ISO 4017		2
21	635.000.089	Plate wheel simplex DIN 8187 3/8" x 7/32" 28Z Ø20		1
22	864.080.030	Washer M8 - ISO 7089		2
23	818.060.160	Set screw M6 x 16 Din 913		1
24	631.000.722	Chain 3/8" 38 shackles		1
25	638.090.090	Chain connector 3_8 inch 6B Simplex		1
26	802.100.600	Bolt M10 x 60 - ISO 4014		1
27	804.080.250	Bolt M8 x 25 - ISO 4017		3
28	804.080.750	Bolt M8 x 75 - ISO 4017		2
29	830.080.080	Self Lock Nut M8 - ISO 10511		5
30	830.100.100	Self Lock Nut M10 - ISO 10511		5
31	864.080.024	Large washer M8 - DIN 9021		2



ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	466.031.180	Adjustment plate small seeder		1	1
2	820.060.250	MH Bolt M6 x 25 ISO 8677		1	1
3	836.060.200	Knob M6 x 32mm		1	1
4	468.052.350	Adjustment handle		1	1
5	804.100.250	Bolt M10 x 25 - ISO 4017		1	1
6	404.100.100	Pivot bush		1	1
7	830.100.100	Self Lock Nut M10 - ISO 10511		1	1
8	922.340.017	Gauge decall Small seed system		1	1
9	476.042.105	Adjuster weldment		1	1
10	732.140.210	Bearing bush		2	2
11	804.060.160	Bolt M6 x 16 - ISO 4017		16	26
12	864.060.030	Washer M6 - ISO 7089		25	35
13	830.060.060	Self Lock Nut M6 - ISO 10511		24	40
14	830.050.050	Self Lock Nut M5 - ISO 10511		4	4
15	804.080.160	Bolt M8 x 16 - ISO 4017		7	
16	830.080.080	Self Lock Nut M8 - ISO 10511		1	1
17	804.080.300	Bolt M8 x 30 - ISO 4017		1	1
18	804.050.250	Bolt M5 x 25 - ISO 4017		2	2
19	804.080.120	Bolt M8 x 12 - ISO 4017		1	1
20	864.080.024	Large washer M8 - DIN 9021		3	3
21	469.029.147	Weldment hopper small seeds box 8 elements	Genesis 5	1	
	468.029.240	hopper small seed box 13 elements	Genesis 8		1
22	456.122.007	Cover front 8 master		1	1
23	456.094.007	Cover front 13 2nd		0	1
24	444.990.850	Small seed cup		8	13
25	444.990.851	small seed cup upper body		1	1
26	444.990.852	Small seed cup lower body		1	1
27	444.990.854	Small seed blocker		1	1
28	444.990.853	Small seeds wheel metric		1	1
29	444.990.855	Gap closing wheel		1	1
30	860.250.120	Pan Thread Forming Screw For Plastic 2,3 x 12		4	4
31	472.109.160	driveshaft ■ 10 8 elements	Genesis 5	1	
	472.109.248	driveshaft ■ 10 13 elements	Genesis 8		1
32	868.140.120	Adjusting ring Ø14 DIN705		13	24
33	444.151.250	Handle		2	2
34	456.149.016	weldment cover small seed box 8 elements	Genesis 5	1	
	456.244.016	Weldment cover hopper 13 elements	Genesis 8		1
35	804.060.200	Bolt M6 x 20 - ISO 4017		4	4
36	468.040.740	Hinge plate		1	1
37	490002	Rubber lock		1	1
38	882.050.450	Cotter Pin 5 x 45 - DIN 94		1	1
39	590.650.000	Bracket for latch		1	1
40	468.020.370	lock plate rubber		1	1
41	456.142.008	cover back 8 elements		1	1
42	456.093.008	cover back 13 2nd	Genesis 8		1
43	446.109.290	Rubber U-seal 1-4mm L=3500	Genesis 5	1	
	446.109.290	Rubber U-seal 1-4mm L=5015	Genesis 8		1
44	444.080.380	Spacer rubber lock		1	1
45	406.090.140	distance bush Ø20-16-Ø8,5 L=14.5		1	1
46	924.280.000	Decal seed hopper		1	1



ITEM	PART NUMBER	DESCRIPTION	REMARKS	Genesis 5	Genesis 8
1	830.080.080	Self Lock Nut M8 - ISO 10511		5	5
2	804.080.800	Bolt M8 x 80 - ISO 4017		2	2
3	555.140.600	PVC hose clear 14x18mm L=600		8	13
4	830.060.060	Self Lock Nut M6 - ISO 10511		20	36
5	830.050.050	Self Lock Nut M5 - ISO 10511		4	4
6	804.080.200	Bolt M8 x 20 - ISO 4017		2	2
7	830.080.080	Self Lock Nut M8 - ISO 10511		4	4
8	804.080.300	Bolt M8 x 30 - ISO 4017		2	2
9	816.060.200	Bolt M6 x 20 - DIN 7991		4	4
10	804.080.250	Bolt M8 x 25 - ISO 4017		2	2
11	804.050.100	Bolt M5 x 10 - ISO 4017		2	2
12	804.080.120	Bolt M8 x 12 - ISO 4017		1	1
13	864.080.024	Large washer M8 - DIN 9021		5	5
14	468.040.740	Hinge plate		1	1
15	468.060.890	bearingplate		1	1
16	732.250.120	Bearing Ø25 h=11.5		1	1
17	490002	Rubber lock		1	1
18	882.050.450	Cotter Pin 5 x 45 - DIN 94		1	1
19	590.650.000	Bracket for latch		1	1
20	468.020.370	lock plate rubber		1	1
21	468.051.010	Mount plate		1	1
22	476.250.800	Shaft end tube		1	1
23	444.080.960	spacer cover Small seeds box		2	2
24	406.090.140	distance bush Ø20-16-Ø8,5 L=14.5		2	2
25	818.060.080	Set screw M6x8		1	1
26	478.338.253	Droppertube		8	13
27	802.061.000	Bolt M6 x 100- ISO 4014		16	32
28	402.090.590	distance bush Ø20-Ø8,5 L=59	Genesis 5	2	
	402.090.640	distance bush Ø20-Ø8,5 L=64	Genesis 8		2
29	896.160.220	Spring hose clamp		8	13